

Certificate of Analysis

LudgerPure™ 2AB Labeled A1 Glycan


Cat. #: CAB-A1-01
 Size: approx. 100 pmol

Batch: B927-05
 Expiry Date: 06 Feb 2024

Alternative Names


A2G2S1, G2S1

Glycan Structure



Oxford Notation

CFG Notation



Text Notation

Purity: 88.1% 2AB labeled A1 glycan, as assessed by HPLC - see Fig 1.

Amount: Sample vial determined to contain 99.5 pmols A1 glycan – Test performed 07 Feb 2019.




Figure 1: HILIC HPLC profile of 2AB labelled A1 glycan (see method conditions below) (Cat. #: CAB-A1-01, Batch B927-05).

*A1 glycan structure identified by MALDI, MS & HPLC (GU value comparison to GlycoBase). This structure is drawn according to the scheme developed by Oxford-Dublin Glycobiology Laboratory (see Fig 2).

2AB A1 peak seen above, eluted at 18.44 minutes, under the following conditions:

Column: Waters BEH Glycan 1.7µm column (150mm)

Flow: 0.56mL/min.

Temperature: 60 °C

Solvent A: 50mM ammonium formate pH 4.4 **Solvent B:** 100 % acetonitrile

Gradient:

Time (min)	%B
0.0	78.0
1.5	78.0
24.8	58.0
25.8	40.0
25.9	78.0
31.0	78.0

Detector: Fluorescence

Excitation wavelength: 250 nm

Emission wavelength: 428 nm




Figure 2: GlycoBase glycan structure key.