


# A1F Glycan


Cat. # CN-A1F-x (where x denotes pack size)

#### Structure



Oxford Notation

CFG Notation



Text Notation

**Synonyms:** A1F N-linked oligosaccharide.

**Description:** Mono-sialylated, core-fucosylated bi-antennary complex-type N-

glycan(oligosaccharide).

**Sources:** A1F glycan is found on many mammalian glycoproteins including IgG, gamma

globulins, and many serum glycoproteins. This product is typically purified from theoligosaccharide pool released from porcine thyroglobulin by hydrazinolysis

using a combination of HPLC and glycosidase digestion.

Form: Dry. Dried by centrifugal evaporation from an aqueous solution. Contains

ammoniumsalt to stabilise against desialylation.

Molecular Weight: 2079



**Purity:** > 90% pure as assessed by a combination of <sup>1</sup>H-NMR and HPLC.

**Storage:** Refridgerate (-20°C) both before and after dissolution. This product is stable

for atleast 5 years as supplied.

**Shipping:** The product can be shipped at ambient when dry. After dissolution, ship on dry ice.

**Handling:** Allow the unopened vial to reach ambient temperature and tap unopened on a

solidsurface to ensure that most of the lyophilized material is at the bottom of the

vial.

Gently remove the cap, add the desired volume of reconstitution medium, re-cap andmix thoroughly to bring all the oligosaccharide into solution. For maximal recovery ofoligosaccharide, ensure that the cap lining is also rinsed and centrifuge the reconstituted vial briefly before use. Ensure that any glass, plasticware or solvents used are free of glycosidases and environmental

carbohydrates.

Minimise exposure to elevated temperatures or extremes of pH. High temperatures and low pH will cause desialylation. High pH will cause

epimerisation of the reducing terminus GlcNAc.

Safety: This product is non-hazardous and has been purified from natural sources

certified tobe free of all hazardous material including pathogenic biological agents.

For research use only. Not for human or drug use

### **Related Products**

Ludger Cat. # Description

CN-A2F-x A2F Glycan (di-sialylated parent of A1F glycan)
CN-NA2F-x NA2F Glycan (degalactosylated derivative of A1F glycan)CN-NGA2F-x NGA2F Glycan (a substructure of NA2F glycan)

## Warranties and liabilities

Ludger warrants that the above product conforms to the attached analytical documents. Should the productfail for reasons other than through misuse Ludger will, at its option, replace free of charge or refund the purchase price. This warranty is exclusive and Ludger makes no other warrants, expressed or implied, including any implied conditions or warranties of merchantability or fitness for any particular purpose.

Ludger shall not be liable for any incidental, consequential or contingent damages.

This product is intended for in vitro research only.

### **Document Revision Number**

Document # 'CN-A1F-Guide', v2.0